

## Conforming Fixed State Adjusters

last updated: 11/09/2011

State	C30	CJ30	C30BD21	C20	C15	CJ15	C10	C30DURP	CJ30DURP	C15DURP	CJ15DURP
AZ	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050
CA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
CO	-0.020	-0.020	-0.020	-0.020	-0.020	-0.020	-0.020	-0.020	-0.020	-0.020	-0.020
IN	-0.110	-0.110	-0.110	-0.100	-0.100	-0.100	-0.100	-0.110	-0.110	-0.100	-0.100
KY	-0.100	-0.100	-0.100	-0.120	-0.120	-0.120	-0.120	-0.100	-0.100	-0.120	-0.120
MN	0.040	0.040	0.040	0.000	0.000	0.000	0.000	0.040	0.040	0.000	0.000
NV	0.030	0.030	0.030	0.000	0.000	0.000	0.000	0.030	0.030	0.000	0.000
OH	-0.120	-0.120	-0.120	-0.120	-0.120	-0.120	-0.120	-0.120	-0.120	-0.120	-0.120
OR	-0.100	-0.100	-0.100	-0.120	-0.120	-0.120	-0.120	-0.100	-0.100	-0.120	-0.120
TX	-0.260	-0.260	-0.260	-0.230	-0.230	-0.230	-0.230	-0.260	-0.260	-0.230	-0.230
UT	-0.050	-0.050	-0.050	0.000	0.000	0.000	0.000	-0.050	-0.050	0.000	0.000
WA	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050

State	L30	LJ30	L20	L15	LJ15	L10
AZ	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050
CA	0.000	0.000	0.000	0.000	0.000	0.000
CO	-0.020	-0.020	-0.020	-0.020	-0.020	-0.020
IN	-0.110	-0.110	-0.100	-0.100	-0.100	-0.100
KY	-0.100	-0.100	-0.120	-0.120	-0.120	-0.120
MN	0.040	0.040	0.000	0.000	0.000	0.000
NV	0.030	0.030	0.000	0.000	0.000	0.000
OH	-0.120	-0.120	-0.120	-0.120	-0.120	-0.120
OR	-0.100	-0.100	-0.120	-0.120	-0.120	-0.120
TX	-0.260	-0.260	-0.230	-0.230	-0.230	-0.230
UT	-0.050	-0.050	0.000	0.000	0.000	0.000
WA	-0.050	-0.050	-0.050	-0.050	-0.050	-0.050